

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-10-4

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

KOMATSU DRESSER CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Komatsu Dresser Corporation 1997 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage:                      Agriculture Tractor, Mining/Construction  
Trucks, Snow Groomer, Logging Equipment

Fuel Type:   Diesel

<u>Engine Family</u>	<u>Liters</u>	<u>(Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
VKD505R6DTRC (B413)	8.3	(505)	Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exhaust Emissions (g/bhp-hr)</u>				<u>Smoke Opacity ( % )</u>		
<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

<u>Engine Family</u>	<u>Exhaust Emission (g/bhp-hr)</u>				<u>Smoke Opacity ( % )</u>		
	<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
VKD505R6DTRC (B413)	0.3	0.5	5.4	0.2	7	2	16


BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 7<sup>th</sup> day of January 1997.

  
R. B. Summerfield, Chief  
Mobile Source Operations Division

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
HEAVY-DUTY OFF-ROAD DIESEL ENGINES  
KOMATSU

Manufacturer KOMATSU Dresser Corp. Engine Family (B413) VKD505R6DTRC

Displacement: 505 / 8.3 Liters/Cubic Inches Eng Config: I-6

All Codes in Eng Fam: CA ☐ 49S ☐ 50S ☒ EPA ☒ Cert Test Procedures: ARB ☒

Valves/Ports per Cylinder 2 Strokes per Combustion Cycle 4

Maximum Rated Power: 240 HP (179 KW) @ 2200 RPM

Ignition: Compression ☒ Compression with Glow Plug ☐ Spark ☐

Fuel Type(s): Dedicated ☒ Flex-Fuel ☐ Dual Fuel ☐ Diesel ☒ M100 ☐ M85 ☐

CNG ☐ LNG ☐ LPG ☐ Other (specify) \_\_\_\_\_

Diesel Cert Fuel: 40 CFR 89.330-96 ☒ Other (specify) \_\_\_\_\_

Primary Service Equipment: Construction/Mining Trucks, Snow Groomers, Logging Equipment & AG Tractors

Exhaust ECS (e.g., MFI, TC, CAC): TC, CAC

(Use abbreviations per SAE J1930 JUN93)

Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ Rated EP mm <sup>3</sup> / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
<u>2062</u> CS-3-C	240 @ 2200	133(91.0)	IN 3920825 FP 3926885	N/A	N/A	N/A
<u>2055</u> SAA6D114E-1	230 @ 2000	125(84.4)	IN 3928228 FP 3929173	N/A	N/A	N/A
<u>2057</u> SAA6D114E-1	230 @ 2200	118(87.3)	IN 3930525 FP 3929837	N/A	N/A	N/A

Date Issued:

Revisions:

SUBMITTED

OCT 11 1996